




AL ANDALUS INTL.

FOR BUILDING MATERIALS



www.alandalusintl.com

ABOUT AL ANDALUS INTERNATIONAL

Founded in 1986, Al-Andalus International is a trading company based in Qatar. It aims to provide the latest solutions in building materials as well as offering state-of-the-art construction supplies and industrial consumables. Al-Andalus International is constantly expanding and striving to go beyond client expectations, and because of this, it is often known as a customer-focused company. The company's growth is a direct result of their client's confidence and loyalty. With over nine locations in the state of Qatar.

WHAT MAKES US SPECIAL?

From our product range to our customer service, there are many factors that make us stand out and stand tall. Unquestionably, a large portion of our success is attributed to our strong values. These values play a pivotal role in our company and are incorporated in everything that we do.



EXCELLENCE

We Provide our customers with unparalleled service and only products of the highest quality.



HONESTY

We Promise sincerity and straightforwardness in everything that we do from the initial meeting to way after the installation.



RELIABILITY


In the construction industry, time is money and our team understands that. We will be punctual. We will complete projects on and sometimes ahead of schedule. We will offer support long after the installation.



INNOVATIVENESS

The market is constantly developing and we will strive to meet its rising needs with new products and cutting-edge solutions.

ORGANIZATION CHART



**TOGETHER
EVERYONE
ACHIEVES
MORE**


OUR TEAM

Our team comes from different fields, bringing with them years of knowledge, industry experience and professionalism. We are dedicated to customer satisfaction. We endeavor to provide our clients unparalleled service and expertise by offering them optimal solutions and product advice for their construction needs.

ALUMINUM SYSTEMS & ACCESSORIES



CURTAIN WALL & STRUCTURAL GLAZING SYSTEMS



SLIDING -THERMAL & NON THERMAL SYSTEMS



HINGED -THERMAL & NON THERMAL SYSTEMS



HINGED DOOR & WINDOW / SINGLE & DOUBLE GLASS



SLIDING DOOR & WINDOW / SINGLE & DOUBLE GLASS



ALUMINUM PROFILES



ALUMINUM KITCHEN PROFILES



ALUMINUM PORTABLE CABIN PROFILES




HPL SHEETS



UPVC INSULATED DOOR PANELS



PANAROMA
DECORATIVE DOOR





DOORS ACCESSORIES



CYLINDER LOCK FOR WOODEN DOORS



CYLINDER LOCK FOR ALUM DOORS



DOOR CYLINDER ART 168



DOOR CYLINDER ART 150



AUTOMATIC PUSH BAR



DOOR CLOSER NORMAL, MEDIUM, HEAVY ART 601



ALUMINIUM DOORS AND WINDOWS ACCESSORIES



HANDLE / CASEMENT OPENING



DOUBLE HANDLE FOR DIE-CAST ALUMINIUM DOORS



DIE/CAST ALUMINIUM WITH OFFSET HANDLE



SIDE HANDLE FOR SLIDING WINDOWS



END CONNECTION PLATE, ROD ENDS AND CHECK PLATE KIT



3-WING MAXIMA HINGE



HINGE FOR MAXIMA DOORS AND WINDOWS



CONSTRUCTION DOOR ACCESSORY



ALUMINIUM PIVOT HINGES



DOOR WHEEL



ALUMINIUM WINDOW FRICTION HINGES



CONCEALED HINGES



KITCHEN CABINET HINGES




STAY ARM





DOOR HANDLE



ANTIQUE MIRRORS



GLASS SHEETS, DOUBLE GLASS, MIRRORS & ACCESSORIES



GLASS FITTING ACCESSORIES

DT10 | BOTTOM FITTING




SUITS DPR90D & DPR84D FLOOR SPRINGS & DFS PIVOT
MAB TYPE SPINDLE AVAILABLE ON REQUEST

DT20 | TOP FITTING



SUITS D9124 PIVOT & DT40

DL50S | CENTER LOCK



BRASS CYLINDER & COMPUTER KEYS

DT72 | DOOR LOCK WITH HANDLE



DM010 | GLASS TO GLASS DOOR LOCK WITH STRIKE BOX



NO GLASS CUT OUT REQUIRED

FLOOR SPRINGS & DOOR CLOSERS
DPR84D



CARRYING CAPACITY 110-90 KGS
MAXIMUM DOOR WIDTH 1.1 METER

GLASS ACCESSORIES

DM-105



DM-106



DM-107



DGH | GLASS HOLDER (HOLLOW)



SIZES : DIA 25 & 19 MM
HEIGHT 80 ,60 ,50 ,40 ,30 MM
VARIOUS SIZES & SOLID GLASS HOLDERS
AVAILABLE ON ORDER

DK-4



DSC2 | PIPE TO GLASS



DSH4 | PIPE TO PIPE ADJUSTABLE




DSL | WALL TO GLASS 90 DEGREE HINGES



TWO SCREWS EACH SIDE FIXING

DM SW | SEAL & WIPE JAMB



9100A | MANUAL SLIDING DOOR ACCESSORIES



GEORGIAN BARS & CONNECTORS



SCHÜCO

BALUSTRADE / HANDRAIL SYSTEMS - GERMANY



SOLID SURFACES FOR COUNTER TOPS & WALL APPLICATION

HYUNDAI

L & C

HANEX®



CASTING BOWLS & SINKS (SINGLE & DOUBLE)



WHY ACRYLIC SOLID SURFACE

Hanex® Solid Surface products are crafted from a unique blend of acrylic resins and natural materials. Ideal for all healthcare, food preparation, commercial, institutional and residential applications.



Easy to work with

It can be bent and shaped during fabrication and cut with most standard saws.



Antimicrobial

Solid surfaces do not support bacterial growth (non-porous), making them invaluable in healthcare settings.

Seamless installation prevents crumbs, dirt, stains and bacterial and other pathogens from entering.



Highly durable

Solid, perfectly smooth and homogenous material whose regenerable surface always looks brand-new.

Non-porous, acid-resistant and therefore easy-to-clean surface.

Are resistant to stains.



Environmentally friendly

Renewable and repairable.

Sanding will remove scratches, small chips, and scorches, also ideally for heavy-traffic areas or façade application.



Endless design possibilities

Thermoformable / Seamless.

Almost any shape or size can be produced.



STONE COATED METAL ROOFING SHEETS & ACCESSORIES



تكلفة صيانة منخفضة
Low Maintenance



طويل العمر
Highly Durable



سهولة التركيب
Easy Installation



مانع لتسريب المياه
100% Leakage Proof



مقاوم للحريق
Fire Resistant



مقاوم للحرارة
Maintains Temperature



مقاوم للماء
Wear Resistant





خفة الوزن
Light Weight




CORRUGATED SHEETS

SANDWICH PANEL (ROOF/WALL)




ACRYLIC, CAST ACRYLIC & POLYCARBONATE SHEETS

TEXTURED POLYCARBONATE - GATE



MULTIWALL POLYCARBONATE SHEETS



CORRUGATED POLYCARBONATE SHEETS




ACRYLIC & CAST ACRYLIC SHEETS





PVC MARBLE SHEETS


SHADES



FRAMS



ACCESSORIES



WPC WALL CLADDING



WPC DECKING



ALUMINIUM COMPOSITE PANELS FOR CLADDING & KITCHEN CABINS




AR 1908 - Milky White



AR 1111 - Pure White



AR 1112 - Off White



AR 1133 - Beige



AR 1101 - Bright Silver



AR 1130 - Solid Gray



AR 1126 - Dark Grey Silver



AR 1114 - Black



AR 1501 - Brush Silver



AR 1359 - Burn Walnut










AR 1379 - Aeon Walnut



AR 1372 - Burma Teak





GREEN INNOVATION

INNOVATION FOR ENVIRONMENT

SHERA™ FLOOR, WALL AND CEILING BOARD

Shera smooth fiber-cement board is for floor, wall and ceiling applications. It is made from portland cement in combination with cellulose fiber, resulting in sun and rain resistance. The board can be used internally and externally. With the latest crystal engineering technology, the material crystals have been developed to become smaller than nano size. Also, autoclave process controls pressure and heat, making each board %10 stronger under the specified standard and without asbestos.



SHERA BOARD meets the needs of modern construction which is the dry system and light weighted

Easy to use and suitable for dry construction system as no beam is required and the board is lighter than bricklaying and plastering. Works can be done more quickly with labor cost and transportation cost saving.

SHERA™ SPLENDID PLANK

SHERA splendid plank achieves beautiful aesthetic grooves on building walls with the edged profile of splendid siding. SHERA splendid plank is another version of lap siding which stands up to the most demanding design. With SHERA splendid plank, overlapping installation will be very simple and efficient. SHERA splendid plank comes with several options in edge profiling designs that not only provides innovative style into home designs but also long lasting and less worry from humidity, heat, salt spray and flying debris.



SHERA



BUILD BETTER,



GYPSUM BOARD & ACCESSORIES




GYPSUM BOARD / REGULAR, MOISTURE, FIRE RATED



POLYURETHANE MOLDING


FRAMING



SKIRTING



ALUMINUM CEILING TILES
(LAYIN, CLIPIN,
PLAIN & PERFORATED).



GYPSUM TILES



ACOUSTIC CEILING TILES.



CEILING ACCESSORIES



ACCESS PANEL



COMMERCIAL, MARINE PLYWOOD WHITE WOOD, MDF


MARINE PLYWOOD



MDF (PLAIN & MOISTURE)



WHITE WOOD



PVC/PLASTIC WOOD BOARD
SIZE: 1220 X 2440 MM



KIMMCO

means insulation!

GLASSWOOL

KIMMCO Building Roll (KBR)



- Thickness** : 15 - 150 mm
- Dimensions*** : 0.4 - 1.2 m (width), 10 - 45 m (length)
- Facing & Covering** : Unfaced, FSK, Vinyl, White Metalized Polyester, Kraft Paper, Yellow Glass Tissue, Reflective Metalized ASJ and Aluglass
- Application Fields** : Thermal and acoustic insulation of metal buildings (over and under roof purlins, walls), porta-cabins, partition walls, and roofs (false ceiling overlay).



KIMMCO Building Slab (KBS)



- Thickness** : 15 - 150 mm
- Dimensions*** : 0.4 - 1.2 m (width), 1 - 2.4 m (length)
- Facing & Covering** : Unfaced, FSK, Glass Tissue, and ASJ
- Application Fields** : Thermal and acoustic insulation of walls (internal, external, cavity, partition), roofs (under purlin, ceilings, external roof structures), floors, and technical applications such as industrial boilers, ovens and refrigeration storage tanks.



Rockwool Slab



- Thickness** : 25 - 130 mm
- Density** : 40 - 160 Kg/m³
- Size** : 1200mm X 600mm
- Facing** : Aluminium, BGT & Unfaced




EPS SHEETS



POLYSTYRENE SHEETS



PROTECTION BOARD



BACKER ROD




FLOORING COLLECTION



▲ VINYL ROLLS ▲ VINYL ADHESIVES ▲ VINYL SKERTING ▲ VINYL ACCESSORIES

▲ SPC STONE PLASTIC COMPOSITE



SELF LEVELING COMPOUND



SL C320 ARDASOL

SELF-LEVELLING COMPOUND FOR INDOOR USE IN ALL TYPES OF PREMISES

- ✦ Excellent surface finish without sanding
- ✦ Smooth all concrete substrates, cements and old tiles
- ✦ Use in premises with light & heavy traffic
- ✦ Compressive strength: 20 MPa (>28 days)



PRIMER



GRIP A400

- ✦ Ready to use
- ✦ Excellent adhesion
- ✦ Facilitates application of smoothing compounds



SOFT FLOOR ADHESIVES



STIX A100

SOLVENT FREE ACRYLIC ADHESIVE

- ✦ PVC & Carpet floorings
- ✦ For residential premises, offices & areas with moderate traffic
- ✦ Solvent-free, odorless, low VOC class A+
- ✦ Waiting time: 10 to 15 minutes
- ✦ Open time: 40 to 45 minutes
- ✦ Walk-on time: Around 18 hours





CRYSTAL SERIES



SATIN METAL SERIES



GENUINE LEATHER SERIES



CLASSIC PALACE
ADOPT PURE COPPER,
CNC CARVED PANEL.



TITANIUM ALUMINIUM
SERIES



WOODEN SERIES



WIFI DOOR LOCK



DL 130

- Zinc alloy material
- 60 / 70mm Adjustable latch
- Green / Black / Qiangchen Blue
- Door Thickness: 38~120mm
- Powered by 4200mA
- Access by App / Fingerprint / Password / Card / Key

WIFI SWITCHES



WIFI DOOR BELL

1080p HD Video	Two-way Audio	2.4GHz Wi-Fi
Night Vision	Real-Time Video	Cloud Storage
Notification Push to Mobile Device	180° Wide-angle Camera Lens	Micro SD Card Compatible
PIR Motion Detection	Low Power Consumption	Battery Powered

MACHINERIES ALUMINUM & UPVC



Large Capacity Single Corner
Welding Machine



PVC Glazing Bead Saw



Up-Cutting Mitre Saw Manual
For Aluminum & PVC



Automatic Portable Template
Copy Router Alum & PVC



PVC Corner Cleaning Machine



Precision Double Mitre Saw Automatic
Barcode System for Alum & PVC

CNC Milling Machine



PIM 6509 is 8-axis CNC controlled machining center which is specifically designed to process any kind of PVC profiles in the market. The machine can do all operations on four sides of PVC profiles such as milling, opening key holes, water slots, hinge holes, handle holes, marking, saw blade cutting etc. PIM 6509 has the programming feature which provides minimum waste and maximum amount of production. 7 pieces of PVC profiles can be placed on the feeding conveyor of the machine and 3-axis pneumatic gripper moves them into the milling & cutting center for the milling and cutting operations. Operator attaches barcodes on the processed profiles to make them ready for welding operation.

MILED STEEL / STAINLESS STEEL / GALVANIZED IRON AND ALUMINIUM

MS, GI & ALUMINUM TUBES & PIPES



MS, GI & ALUMINUM ANGLES



MS & GI CHANNEL




MS & ALUMINUM SQUARE BAR



MS & ALUMINUM ROUND BAR




MS, SS & ALUMINUM FLAT BAR



STEEL UNIVERSAL COLUMN




STEEL STRUCTURE H BEAM



STEEL STRUCTURE I BEAM



MS, GI, SS & ALUMINUM SHEETS




MS, GI & ALUMINUM CHECKERED PLATE



GI, PPGI & ALUMINUM COILS



GALVANIZED & MS GRATING



MS SHAFTING BAR



BINDING WIRE



WELDED WIRE MESH



GI & PVC COATED CHAIN-LINK FENCING



SILICON, SEALANTS, ADHESIVES & PU FOAMS



Den Braven



HIGH TACK

High quality adhesive with extreme high grip properties

- Extreme high initial grip
- Adhere heavy materials without fixation
- High strength
- High mechanical resistance
- Durable elastic
- Neutral curing
- Weather resistant
- Free of isocyanates, phthalates, solvents and silicones



SILICONE-1001U

Universal Acetoxy Silicone

- Versatile sealant
- High elasticity
- Good resistance to UV, water and weather
- Excellent adhesion to glass and most metals
- Fast curing
- Mildew resistant



ACRYL-1001U

High quality water based acrylic sealant

- Paintable with water based and synthetic paints
- Perfect adhesion without use of a primer on most, even slightly damp substrates
- Versatile economic acrylic sealant
- Almost odourless
- Easy to apply and clean
- Non corrosive towards metals



Zwaluw FireProtect® FP Acrylic Sealant

Benefits

- Tested according to EN 1366-4
- Up to 4 hours fire resistance
- Can be applied separately in joints up to 20 mm wide
- Can be combined with FP PU Foam up to 30 mm wide
- Paintable with most water based and synthetic paints
- Easy to apply and clean
- Joint movement up to 7.5%
- Also available in grey
- Nearly non smelling
- Non corrosive towards metals



SILICONE CONSTRUCT

Coloured neutral silicone for sanitary, glazing and façade joints

- Wide variety of standard colours
- Universal contractors silicone
- Neutral 100% silicone
- For façade, glazing and sanitary
- Very good adhesion
- Almost odourless



HYBRISEAL® FAÇADE

Versatile one component sealant for facade joints

- Special formulation for façade joints
- Certified also for pedestrian walkways according EN 15651-4
- Bubble free
- No shrinkage
- Free of isocyanates and silicones
- Low modulus and highly elastic
- Good resistant to UV, water and weather



PU FOAM

Two component mounting and insulating polyurethane foam with a high dimensional stability

- Quick curing time
- Fast tack free and cutting time
- Excellent adhesion to concrete, masonry, wood and many plastics
- Excellent properties for heat resistance and noise reduction
- Filling cavities with insufficient moisture access



AL ANDALUS INTL.

FOR BUILDING MATERIALS

◆ Main Showroom

Industrial Area
St# 8 Gate# 90
Tel : 4460 1884
4460 0557
4460 2638
Fax : 4460 0065

◆ St# 27

Industrial Area
Tel : 4460 0310

◆ Al Khor

Tel : 4477 0633
Fax: 4477 0663

◆ Haraj

Tel : 4435 0384
Tel : 4435 5628

P.O. Box: 15112, Doha, Qatar

E-mail: alandalus@alandalusintl.com | www.alandalusintl.com

